

CITY OF OLIVER SPRINGS CODES ENFORCEMENT RESIDENTIAL BUILDING PERMIT APPLICATION

Address o	f property:						Subdivisi	on Name:	
City, State	e, Zip:	**************************************					MH Park Name:		
Property I	dentificati	on	<u> </u>					Zoning:	
Мар:]	Ctrl Map:		1	Group:		Zone:	
Parcel:		1	All of		1	Part of		Flood Plain: Yes N	
		S OBTAIN	ED						
Sewer/Sept	tic Permit:	Yes No				Driveway:	Yes No		
3. TYPE C	F BUILDI	ING							
Project Des		Purpose of			Other Res	idential		Agriculture	
New Struc	ture	Single Far	mily		Garage/C	arport		Barn	
Addition Two or More			ore Family		Storage E	lldg.		Type:	
Repair		No. of Unit	ts	Pool			Shed		
		me (DW/SW	7)	Size	:		Other:		
Relocation	ł	Make:			Shape	•			
Remodel		Size:			Type	:			
		Year:	<u> </u>		Other:			1	
Ownership	Private	Public			-				
4. CHARA	CTERIST	ICS							
Type of Fo	undation		Type of Se	wage Dispo	sal	Roof Type			
Crawl			Public or Private Sewer		er	Siding Typ			
Finished Basement		Individual (septic tank, etc.)		, etc.)	No. Floors:				
Unfinished Basement		Type of Water Supply		Total Sq. Ft.:					
Other:		Public or Private			No. Bedrooms:				
Type of Frame		Individual (well, etc.)		No. Full Baths:					
Masonry		Type of Heat		No. 1/2 Baths					
Wood		Central Heat/Air			Porch/Deck: Size:		Size:		
Steel		Other: Other		Other:		- 			
Other:	·								
			to be done.)					
Total Cost			•••••						
6. APPLIC	ANT INFO	DRMATIO	N						
will reside value grea I changed	e in the com iter than \$2 my mind a	npleted struct 5,000.00) I nd do hire a	cture and will will hire only general con	I be my own y licensed c tractor, I wi	n general co contractors i ill hire only	ontractor. If I registered wi a licensed g	I hire subcon th the State (eneral contra	nd own, reside in, or atractors, (contract Contractors Board. If actor registered with of any such changes.	
		ZED REPRI of any chang		/E of the pr	operty own	er or contrac	etor. I will no	otify the Roane County	
P	rint Name:					Signature	:		
	Address:						Phone:		
City,	State, Zip:						_		

Please draw a map of the property for which you are obtaining a building permit.

. Please include the following:

- · Approximate location of property lines
- Locations of all structures (existing and planned)
- Show footage from property lines for new permitted structure

Date

- · Location of existing septic tank and field line
- Location of water and electric lines
- Location of driveway
- Size of property (square foot or acres)

						 	
		•			-	٠,	
	•	•	•				
.	•	•		:			
			•				,
		•					•
			•				
				• •			
1	•						
	•		•			•	
	·					•	
				•			
	•		•				
				•			
	-			•		ر	٠.
		•		_			
			•				
			•		:		
	• • •						
	<u> </u>	•			•		
	•						
					,	•	
		•					
				•			

Signature

OLIVER SPRINGS CODES ENFORCEMENT INSPECTION DETAILS FOR RESIDENTIAL PROJECTS

FOOTER/SLABS (ALL) PRIOR TO POURING CONCRETE

- Excavation (bottom of footer 12" below finished slope of 1" in 10")
- Rebar as per drawing or to code along with footer grounding
- Interior footing for load bearing wall
- Bulk heads properly installed
- Setbacks
- Vapor barrier, wire mesh, or rebar and gravel base
- Insulation for slabs in conditioned spaces (IECC)
- Post 911 address visible from road

FOUNDATION WALLS DO NOT PROCEED WITH FRAMING UNTIL FOUNDATION WALLS ARE APPROVED

BLOCK WALLS

- Proper block size per code
- Rebar to code (if required)
- Cores filled per code (if required)
- Sill anchors installed properly
- Foundations vents and access to code

POURED WALLS

- Proper form size
- Rebar installed per drawings/code
- Sill anchors installed properly
- Foundation vents and access to code

FRAMING

ALL ROUGH PLUMBING AND ELECTRICAL COMPLETE DO NOT COVER ANY WORK WITHOUT APPROVED FRAMING

- Sill plates
- Proper girder size and span
- Sheeting code (floors, walls, and roof)
- Wall framing complete with headers to code, braced wall panels and house wrap
- Stairs to code (treads, risers, width, landing ad head clearance
- Top plates laced to code
- Roof framing (rafter size, spacing, span and collar ties) and lateral bracing as per truss diagrams
- Lateral bracing for trusses and diagrams "on site"

- Fire blocking and recessed lights (IECC)
- Window and doors installed to code (IECC)

IECC INSPECTION

- Insulation R-Value and installation for ceilings, framed walls, floor, basement walls and crawl space
- Building thermal envelope
- Sealing of penetrations
- Attic insulation depth indicators
- Duet insulation and sealing
- HVAC equipment sizing

FINAL

- Structure is complete, safe and livable
- Finish grade slope 6" in 10' away from home
- Porches and decks to code
- Life safety codes and 911 address posted permanently
- Attic insulation (IECC)
- HVAC controls (IECC)
- JECC certificate poste in electrical box (IECC)
- Proof of final electrical inspection
- All utilities on and working
- Certificate of Occupancy issued when final inspection is passed
- ABSOLUTELY NO OCCUPANCY WITHOUT APPROVAL IN WRITING FROM OLIVER SPRINGS CODES ENFORCEMENT

OWNER/CONTRACTOR		
SIGNATURE	DATE	

OLIVER SPRINGS CODES ENFORCEMENT INSPECTION DETAILS FOR RESIDENTIAL PROJECTS

FOOTER/SLABS (ALL) PRIOR TO POURING CONCRETE

- Excavation (bottom of footer 12" below finished slope of 1" in 10")
- Rebar as per drawing or to code along with footer grounding
- Interior footing for load bearing wall
- Bulk heads properly installed
- Setbacks
- · Vapor barrier, wire mesh, or rebar and gravel base
- Insulation for slabs in conditioned spaces (IECC)
- Post 911 address visible from road

FOUNDATION WALLS DO NOT PROCEED WITH FRAMING UNTIL FOUNDATION WALLS ARE APPROVED

BLOCK WALLS

- Proper block size per code
- Rebar to code (if required)
- Cores filled per code (if required)
- Sill anchors installed properly
- Foundations vents and access to code

POURED WALLS

- Proper form size
- Rebar installed per drawings/code
- Sill anchors installed properly
- Foundation vents and access to code

FRAMING

ALL ROUGH PLUMBING AND ELECTRICAL COMPLETE DO NOT COVER ANY WORK WITHOUT APPROVED FRAMING

- Sill plates
- Proper girder size and span
- Sheeting code (floors, walls, and roof)
- Wall framing complete with headers to code, braced wall panels and house wrap
- Stairs to code (treads, risers, width, landing ad head clearance
- Top plates laced to code
- Roof framing (rafter size, spacing, span and collar ties) and lateral bracing as per truss diagrams
- Lateral bracing for trusses and diagrams "on site"

OLIVER SPRINGS CODES ENFORCEMENT 308 N. Third St. Kingston, TN 37763 865-717-4230

Re-Inspection Fees Resolution

Resolution gives Oliver Springs Codes Enforcement Office the authority to charge re-inspection fees for additional and failed inspections.

Re-inspection fees will be charged as follows:

First re-inspection	\$.0.00
Second re-inspection	\$25.00
Third re-inspection	\$50.00
Each additional re-inspection	\$50.00

Signature Research and the control of the Date of the Control of t	

Flood Plain Affidavit

		Buildi	ng Pern	nit#			
							,
u.			Date				
I have been ma	ıde aware and ι	understand	a portio	n of the pro	perty locat	ed at	
identified as M		1	_ Parce			ed in a spec	
flood area; and	l I have been in	nformed th	at a stru	cture <u>canno</u>	ot be placed	l in this spe	cial
flood area.		· ·					
I also confirm	hat the structu	re for whic	ch am ol	otaining a b	ouilding pe	rmit will no	ot
be placed in thi	s special flood	l area.					
Print Name							
Signature of pr	operty owner	or contract	tor				